

BLOWDOWN NOTIFICATION

Blowdown details

Date: September 17, 2026 Time: 8am – 2pm

Land location: SW 15-028-26 W4M

TC Energy land agent: Don Torgerson

Phone number: (403) 807-9793

Onsite technician (blowdown co-ordinator):

Linda MacLeod

Cell number: (403) 418-7453

Estimated duration of blowdown: 10 minutes

Additional Notes: Intermittent depressurize, purge and repressure. Isolations performed by TCE technicians within fenced measurement facility. Station planned to be re-energized within 4 hours but could be longer if isolation not achieved immediately.

At TC Energy, the safety of the public and our employees is a top priority. To ensure our pipeline system continues to meet the highest safety standards, we periodically perform routine maintenance as part of our Pipeline Integrity Program. As part of this work, you may hear a sustained loud noise known as a "blowdown."

A blowdown is the act of releasing natural gas from the pipeline system so work can be done safely on the depressurized facilities. TC Energy employees will close the required valves to isolate the facilities and then open a blowdown valve to safely depressurize in a controlled manner. A loud roaring sound may occur when the natural gas is released, although TC Energy may employ tools to minimize this noise whenever possible.

The sound during a blowdown can be as loud as an airplane engine and may last anywhere from a few minutes to multiple hours, depending on the amount of pipe being depressurized. As the flow of gas gradually slows down, the noise also lessens.



Note: During an in-line inspection, multiple blowdown events occur over the course of the project.

After the natural gas is released, a funnel-shaped air expeller is placed on top of the blowdown valve opening, which draws any remaining gas out and makes it safe for activities such as welding.

Once maintenance is complete, work begins to safely bring the line back into service. Natural gas is sent back into the pipeline and, once it reaches pressure, the blowdown valve is opened once again to vent the atmospheric air. Once all the air is removed, the blowdown valve is closed. The line is then pressurized to its normal operating pressure.

Blowdowns of different types occur regularly along our pipeline system, from long sections of large-diameter pipeline to above-ground compressor station maintenance. They are part of the safe maintenance and operation of our facilities. We recognize Blowdowns can be an inconvenience for our neighbours and we do everything we can to minimize the effects. Residents living in close proximity to the planned blowdown location will receive notification of the blowdown prior to the work beginning.

If you have questions or concerns, please contact TC Energy first.

General inquiries

450 – 1 Street S.W. Calgary, AB
Canada, T2P 5H1
1-800-661-3805
(weekdays 7:30 a.m. to 5 p.m. MST)

cdn_landowner_help@TCEnergy.com
1-888-372-1601

In case of a pipeline emergency, call: 1-888-982-7222

TCEnergy.com

REGULATORY COMMENT

Depending on jurisdiction, TC Energy facilities are regulated by the Alberta Energy Regulator (AER), the Canada Energy Regulator (CER) or the BC Energy Regulator (BCER). The regulators work with TC Energy to ensure our pipelines are constructed, tested and operated safely. The regulators have employees available for inquiries and to assist or advise landowners and occupants regarding pipeline problems.



To learn more about how to live and work safely near pipelines, scan the QR code and visit TC Energy's Safe Digging website:

www.tcenergy.com/sustainability/safety/safe-digging



Kersey #2 RMS Upgrade

1.5km Radius

